

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1048	(split\$4 separat\$3 detach\$3 divid\$3 segment\$3) with (run adj length huffman) with (message packet data string)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 12:45
L2	7	(split\$4 separat\$3 detach\$3 divid\$3 segment\$3) with (run adj length huffman) with (message packet data) with (compress\$4 repetit\$3 repeat\$3) with (random uncompress\$4 noncompress\$4 raw)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 12:48
L3	8	(split\$4 separat\$3 detach\$3 divid\$3 segment\$3) with (run adj length huffman lempel\$1ziv) with (message packet data) with (compress\$4 repetit\$3 repeat\$3) with (random uncompress\$4 noncompress\$4 raw)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:25
L4	9	("5534861" "5572206").PN. OR ("5640158").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/24 13:07
L5	8	(split\$4 separat\$3 detach\$3 divid\$3 segment\$3) with (run adj length huffman lempel\$1ziv lz\$1"77") with (message packet data) with (compress\$4 repetit\$3 repeat\$3) with (random uncompress\$4 noncompress\$4 raw)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:25
L6	9	("5534861" "5572206").PN. OR ("5640158").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/24 13:27
L7	55	("4021782" "4464650" "4701745" "4730348" "4906991" "5016009" "5046027" "5155484").PN. OR ("5572206").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/24 13:27

L8	49	("4852151" "4922523" "4975944" "4995074" "5005011" "5095494" "5177480" "5241587" "5263084" "5287401" "5299307" "5325423" "5341293" "5369688" "5410541" "5425092" "5454079" "5469540" "5488411" "5490208" "5521597" "5530852" "5538255" "5548532" "5558339" "5561709" "5564001" "5572206" "5586257" "5612730" "5673209" "5675507" "5686912").PN. OR ("5838927").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/24 13:33
L9	23	("3185824" "3394352" "4509038").PN. OR ("5177480").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/24 13:36
L10	16	("5627829" "5751968" "5764910" "5771355" "5838927" "5895471" "5938737" "5953503" "5956490" "6029200" "6032197" "6088803" "6094679" "6101328"). PN. OR ("6345307").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/24 14:12
L11	45	("4864572" "5049881" "5293379" "5455684" "5497404" "5835730" "5938736").PN. OR ("6032197").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/24 14:17
L12	16	("5761601" "5838927" "5859660" "5905872" "5917830" "5928331" "5953506" "6006264" "6122743" "6144375" "6182146" "6208640" "6269403" "6343328" "6459427" "6487721"). PN. OR ("6704790").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/24 15:43
L13	1	(US-6819271-\$).did.	USPAT	OR	ON	2005/08/24 15:43
L14	1	13 and (client server)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/24 15:43

L15	88	{"20010031092" "4008460" "4558302" "4688108" "4876541" "4881075" "5003307" "5016009" "5109226" "5126739" "5146221" "5150430" "5155484" "5237460" "5237675" "5247638" "5247646" "5337275" "5341339" "5353024" "5353425" "5357614" "5371499" "5379036" "5389922" "5394534" "5396343" "5406278" "5406279" "5412429" "5414425" "5414850" "5420696" "5424733" "5426779" "5448577" "5455577" "5455943" "5459850" "5463390" "5465338" "5467087" "5471206" "5477264" "5479638" "5485526" "5504842" "5506580" "5510840" "5526363" "5532693" "5532694" "5548742" "5553261" "5559978" "5563595" "5568423" "5572206" "5577248" "5584008" "5606428" "5608396" "5621403" "5627995" "5640529" "5696912" "5729228" "5798718" "5812817" "5828877" "5836003" "5838334" "5874908" "5877711" "5883588" "5933104" "5936560" "5945933" "5956372" "5973630" "6002411" "6008743" "6145069" "6170047" "6173381" "6208273" "6304197" "6523102").PN. OR ("6819271").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/24 15:44
L16	40	("5412429").URPN.	USPAT	OR	ON	2005/08/24 16:31
L17	1	(US-5627534-\$).did.	USPAT	OR	ON	2005/08/24 16:31
L18	1	17 and token	USPAT	OR	ON	2005/08/24 16:32
L19	0	18 and stack	USPAT	OR	ON	2005/08/24 16:32
L20	0	18 and dictionary	USPAT	OR	ON	2005/08/24 16:32

L21	32	("3656178" "3675211" "3694813" "3701108" "3717851" "4021782" "4412306" "4464650" "4491934" "4558302" "4612532" "4730348" "4814746" "4853696" "4876541" "4906991" "5146857" "5247357" "5267334" "5466918") . PN. OR ("5710719").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/24 17:35
S1	7661	(point adj2 point "x" adj windows "serial line interface" "independent computing architecture" postscript quickdraw" graphic device interface") same (compress\$3 streamlin\$3 split\$4 pars\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 21:45
S2	435	(point adj2 point "x" adj windows "serial line interface" "independent computing architecture" postscript quickdraw" graphic device interface") same (compress\$3 streamlin\$3 split\$4 pars\$3) with (message command packet cell)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 21:51
S3	12	(point adj2 point "x" adj windows "serial line interface" "independent computing architecture" postscript quickdraw" graphic device interface") same (compress\$3 streamlin\$3 split\$4 pars\$3) with (message command packet cell) same (bandwidth speed transfer) with (optim\$7 sav\$3 reduc\$4)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 21:47
S4	140	(point adj2 point "x" adj windows "serial line interface" "independent computing architecture" postscript quickdraw" graphic device interface") same (compress\$3 streamlin\$3 split\$4 pars\$3) with (message command packet cell) and (bandwidth speed transfer) with (optim\$7 sav\$3 reduc\$4)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 21:48

S5	3350	(point adj2 point "x" adj windows "serial line interface" "independent computing architecture" postscript quickdraw" graphic device interface") same (message command packet cell) same (argument value variable parameter)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 21:52
S6	1528	S5 and @ad<"19980814"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 21:52
S7	86	(point adj2 point "x" adj windows "serial line interface" "independent computing architecture" postscript quickdraw" graphic device interface") same ((message command packet cell) with (compress\$3 pars\$3 split\$4)) same (argument value variable parameter)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 21:54
S8	7	("x" adj windows "serial line interface" "independent computing architecture" postscript quickdraw" graphic device interface") same ((message command packet cell) with (compress\$3 pars\$3 split\$4)) same (argument value variable parameter)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 21:54
S9	319	("x" adj windows "serial line interface" "independent computing architecture" postscript quickdraw" graphic device interface") same (message command packet cell) same (argument value variable parameter)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 21:54
S10	339	("x" adj windows "serial line interface" "independent computing architecture" postscript quickdraw "graphic device interface") same (message command packet cell) same (argument value variable parameter)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 21:59

S11	13	S10 and (bandwidth) with (optim\$7 reduc\$4)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 21:56
S12	193	("x" adj windows "serial line interface" "independent computing architecture" postscript quickdraw "graphic device interface") and (message command packet cell) same (argument value variable parameter) and (adapt\$3 learn\$3) with (compress\$3 encod\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 22:06
S13	179	("x" adj windows "serial line interface" "independent computing architecture" postscript quickdraw "graphic device interface") and (message command packet cell) same (argument value variable parameter) and "382"/\$. ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 22:06
S14	5	"762917".ap.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:06
S15	1	"00"\$"110305"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:07
S16	3.	"60096620"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:08
S17	0	"60/096620"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:08
S18	8	"096620"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:08

S19	0	pct/us99/1761.ptan.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:09
S20	0	pct/us99/17611.ptan.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:09
S21	0	pct/us99/17611.pct.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:09
S22	0	us99/17611.pct.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:10
S23	290	"20000224".ptpd.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:10
S24	0	S23 and message adj. stream	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:10
S25	12	S23 and message	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:10
S26	0	"20000224".ptpd.	DERWENT	OR	ON	2005/08/23 19:11
S27	0	"20000224".ptpd.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:11
S28	2	collins-henry\$.in. and citrix\$.as.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:11
S29	2	collins-henry\$.in. and citrix\$.as.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:11

S30	7	collins-h\$.in. and citrix\$.as.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 12:43
-----	---	-------------------------------------	---	----	----	---------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	pct/us99/17611	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/03 23:49
S2	0	us99 adj "17611"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/03 23:49
S3	0	us99 and "17611"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/03 23:50
S4	2126152	WO 00/10305	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/03 23:50
S5	0	00/10305	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/03 23:50
S6	11	"10305"	EPO; JPO; DERWENT	OR	ON	2005/07/03 23:51
S7	2	algorithmic adj information	EPO; JPO; DERWENT	OR	ON	2005/07/03 23:52
S8	1	(WO-200010305-\$).did.	DERWENT	OR	ON	2005/07/03 23:51
S9	1	S8 and parameter adj information	EPO; JPO; DERWENT	OR	ON	2005/07/04 00:15
S10	28	(adapt\$3 learn\$3) with header with compress\$3	EPO; JPO; DERWENT	OR	ON	2005/07/04 00:15
S11	360	(adapt\$3 learn\$3) with header with compress\$3	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/04 00:35

S12	29	S11 and stack	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/04 00:16
S13	21	S11 and stack and stream	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/04 00:16
S14	439	(adapt\$3 learn\$3) with (message packet) with compress\$3	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/04 00:35
S15	85	S14 and stack	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/04 00:38
S16	235	S14 and stream	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/04 00:41
S17	116	adapt\$3 adj compress\$3 and dictionary	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:50
S18	52	(adapt\$3 adj compress\$3 and dictionary).bsum.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/04 00:41
S19	5502	adapt\$3 adj compress\$3 and (split\$4 separat\$3 substream\$3)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/04 00:47

S20	35	adapt\$3 adj compress\$3 and (split\$4 separat\$3 substream\$3) with (message packet)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/04 00:47
S21	30	("4058672" "4464650" "4814746" "4872009" "5258983" "5293379" "5307413").PN. OR ("5521940").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/07/04 00:50
S22	71	adapt\$3 adj compress\$3 and dictionary and stream	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:51
S23	51	adapt\$3 adj compress\$3 and dictionary and stream and uncompress\$4	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:57
S24	6	adapt\$3 adj compress\$3 and dictionary and stream and uncompressible	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:59
S25	1	adapt\$3 adj compress\$3 and dictionary and output adj stream with (compress\$4) with (uncompress\$4)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 11:01
S26	172	(rle run adj length huffman) with (packet)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 15:46
S27	113	(rle run\$1length huffman) with (packet)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 16:24
S28	5	header adj compression same (dictionary)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 16:25

S29	35	header with compression same (dictionary)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 16:28
S30	0	rfc adj "2118"	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 16:29
S31	1	rfc\$1"2118"	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 21:35
S32	2	citrix-systems\$.as. and collins-henry\$.in.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 21:36
S33	2	citrix\$.as. and collins-henry\$.in.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 21:36
S34	7	citrix\$.as. and collins-h\$.in.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 21:38
S35	2	"5745703".pn.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 21:38
S36	5	lempel\$1ziv same (packet message) same (split\$4 segment\$3 portion\$3)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 21:39

S37	2	lempel\$1ziv same (packet message) with (split\$4 segment\$3 portion\$3)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 21:39
S38	166	lempel\$1ziv with dictionary	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 21:42
S39	57	lempel\$1ziv with dictionary and (packet message) with compress\$3	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 21:43
S40	27	S39 and (uncompress\$4 noncompress\$4)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 22:03
S41	178	(split\$4 segment\$3 separat\$3) with (run adj length) and (compress\$4) same (un\$1compress\$4 non\$1compress\$4)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 22:04
S42	602	region with (run adj length)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 22:05
S43	3	region with (run adj length) same (compress\$4) same (un\$1compress\$4 non\$1compress\$4)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 22:05
S44	7	region same (run adj length) same (compress\$4) same (un\$1compress\$4 non\$1compress\$4)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 22:05

S45	1	region adj type same (run adj length)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 07:36
S46	26	(pixel rectangle glyph) with (lempel\$1ziv)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 07:37
S47	3	(pixel rectangle glyph) with (lempel\$1ziv) and (dictionary)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 07:37